

## BCI-related Publications using Brain Products Hard-/Software

1. Acqualagna, L. and B. Blankertz  
**Gaze-independent BCI-spelling using rapid serial visual presentation (RSVP)**  
Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology, 2013. null  
<http://www.ncbi.nlm.nih.gov/pubmed/23466266>
2. Acqualagna, L., et al. (2013).  
**Chroma Speller: Isotropic visual stimuli for truly gaze-independent spelling.**  
Neural Engineering (NER), 2013 6th International IEEE/EMBS Conference on, IEEE: 1041-1044.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6696115>
3. Ahn, M., et al. (2013).  
**Gamma band activity associated with BCI performance: simultaneous MEG/EEG study.**  
Frontiers in human neuroscience 7.  
<http://www.ncbi.nlm.nih.gov/pubmed/24367322>
4. Akram, F., et al. (2015).  
**An efficient word typing P300-BCI system using a modified T9 interface and random forest classifier.**  
Computers in biology and medicine 56: 30-36.  
<http://www.ncbi.nlm.nih.gov/pubmed/25464346>
5. Akram, F., et al. (2014).  
**A P300-based brain computer interface system for words typing.**  
Computers in biology and medicine 45: 118-125.  
<http://www.ncbi.nlm.nih.gov/pubmed/24480171>
6. Akram, F., et al. (2013).  
**A novel P300-based BCI system for words typing.**  
Brain-Computer Interface (BCI), 2013 International Winter Workshop on, IEEE: 24-25.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=6506617>
7. An, X., et al. (2014).  
**Exploring combinations of auditory and visual stimuli for gaze-independent brain-computer interfaces.**  
PloS one 9: e111070.  
<http://www.ncbi.nlm.nih.gov/pubmed/25350547>
8. An, X., et al. (2014).  
**Optimizing visual-to-auditory delay for multimodal BCI speller.**  
Engineering in Medicine and Biology Society (EMBC), 2014 36th Annual International Conference of the IEEE, IEEE: 1226-1229.  
<http://www.ncbi.nlm.nih.gov/pubmed/25570186>
9. Andermann, M., et al.  
**Brain state-triggered stimulus delivery: An efficient tool for probing ongoing brain activity**  
Open journal of neuroscience, 2012. 2  
<http://www.ncbi.nlm.nih.gov/pubmed/23275858>

## BCI-related Publications using Brain Products Hard-/Software

10. Bauer, R., et al. (2015).  
***Bridging the gap between motor imagery and motor execution with a brain–robot interface.***  
Neuroimage 108: 319-327.  
<http://www.ncbi.nlm.nih.gov/pubmed/25527239>
11. Bauer, R. and A. Gharabaghi (2015).  
***Estimating cognitive load during self-regulation of brain activity and neurofeedback with therapeutic brain-computer interfaces.***  
Frontiers in behavioral neuroscience 9.  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4329795/>
12. Blankertz, B., et al.  
***The non-invasive Berlin Brain-Computer Interface: fast acquisition of effective performance in untrained subjects***  
NeuroImage, 2007. 37: p. 539-50  
<http://www.ncbi.nlm.nih.gov/pubmed/17475513>
13. Blankertz, B., et al.  
***The Berlin brain-computer interface: EEG-based communication without subject training***  
IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2006. 14: p. 147-152  
<http://www.ncbi.nlm.nih.gov/pubmed/16792281>
14. Blankertz, B., et al.  
***The Berlin Brain-Computer Interface: accurate performance from first-session in BCI-naïve subjects***  
IEEE transactions on bio-medical engineering, 2008. 55: p. 2452-62  
<http://www.ncbi.nlm.nih.gov/pubmed/18838371>
15. Blankertz, B., et al.  
***Neurophysiological predictor of SMR-based BCI performance***  
NeuroImage, 2010. 51: p. 1303-9  
<http://www.ncbi.nlm.nih.gov/pubmed/20303409>
16. Bleichner, M. G., et al. (2015).  
***Exploring miniaturized EEG electrodes for brain-computer interfaces. An EEG you do not see?***  
Physiological reports 3: e12362.  
<http://www.ncbi.nlm.nih.gov/pubmed/25847919>
17. Bocci, T., et al. (2013).  
***How does a surgeon's brain buzz? An EEG coherence study on the interaction between humans and robot.***  
Behavioral and brain functions : BBF 9: 14.  
<http://www.ncbi.nlm.nih.gov/pubmed/23607324>
18. Cavazza, M., et al. (2014).  
***Towards emotional regulation through neurofeedback.***  
Proceedings of the 5th Augmented Human International Conference, ACM: 42.  
<http://www.researchgate.net/publication/260981509>

## BCI-related Publications using Brain Products Hard-/Software

19. Cavazza, M., et al. (2014).  
**Integrating virtual agents in BCI neurofeedback systems.**  
Proceedings of the 2014 Virtual Reality International Conference, ACM: 25.  
<http://www.researchgate.net/publication/261416851>
20. Cecotti, H. (2015).  
**Toward shift invariant detection of event-related potentials in non-invasive brain-computer interface.**  
Pattern Recognition Letters.  
<http://www.sciencedirect.com/science/article/pii/S0167865515000410>
21. Chen, T.-S., et al. (2013).  
**Developments of Brain–Computer Interfaces for Controlling Robotic Wheelchairs.**  
Journal of Neuroscience and Neuroengineering 2: 178-187.  
<http://www.ingentaconnect.com/content/asp/jnsne/2013/00000002/00000002/art00009>
22. Chennu, S., et al. (2013).  
**The cost of space independence in P300-BCI spellers.**  
J. Neuroeng. Rehabil 10.  
<http://www.ncbi.nlm.nih.gov/pubmed/23895406>
23. Chumerin, N., et al. (2013).  
**Steady-state visual evoked potential-based computer gaming on a consumer-grade eeg device.**  
Computational Intelligence and AI in Games, IEEE Transactions on 5: 100-110.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=6334432>
24. Cincotti, F., et al.  
**High-resolution EEG techniques for brain-computer interface applications**  
Journal of neuroscience methods, 2008. 167: p. 31-42  
<http://www.ncbi.nlm.nih.gov/pubmed/17706292>
25. Cincotti, F., et al.  
**Non-invasive brain-computer interface system: towards its application as assistive technology**  
Brain research bulletin, 2008. 75: p. 796-803  
<http://www.ncbi.nlm.nih.gov/pubmed/18394526>
26. De Massari, D., et al.  
**Brain-computer interface and semantic classical conditioning of communication in paralysis**  
Biological psychology, 2013. 92: p. 267-74  
<http://www.ncbi.nlm.nih.gov/pubmed/23153708>
27. De Massari, D., et al. (2014).  
**Fast mental states decoding in mixed reality.**  
Frontiers in behavioral neuroscience 8.  
<http://www.ncbi.nlm.nih.gov/pubmed/25505878>
28. De Massari, D., et al. (2013).  
**Brain communication in the locked-in state.**  
Brain : a journal of neurology 136: 1989-2000.  
<http://www.ncbi.nlm.nih.gov/pubmed/23625062>

## BCI-related Publications using Brain Products Hard-/Software

29. De Vos, M., et al. (2014).  
**P300 speller BCI with a mobile EEG system: comparison to a traditional amplifier.**  
Journal of neural engineering 11: 36008.  
<http://www.ncbi.nlm.nih.gov/pubmed/24763067>
30. De Vos, M., et al.  
**Let's face it, from trial to trial: comparing procedures for N170 single-trial estimation**  
NeuroImage, 2012. 63: p. 1196-202  
<http://www.ncbi.nlm.nih.gov/pubmed/22877577>
31. Ehrlich, S., et al. (2014).  
**When to engage in interaction—And how? EEG-based enhancement of robot's ability to sense social signals in HRI.**  
Humanoid Robots (Humanoids), 2014 14th IEEE-RAS International Conference on, IEEE: 1104-1109.  
<http://mediatum.ub.tum.de/doc/1244230/287369538475.pdf>
32. Enriquez-Geppert, S., et al. (2014).  
**Self-regulation of frontal-midline theta facilitates memory updating and mental set shifting.**  
Frontiers in behavioral neuroscience 8.  
<http://www.ncbi.nlm.nih.gov/pubmed/25538585>
33. Enriquez-Geppert, S., et al. (2014).  
**Modulation of frontal-midline theta by neurofeedback.**  
Biological psychology 95: 59-69.  
<http://www.ncbi.nlm.nih.gov/pubmed/23499994>
34. Enriquez-Geppert, S., et al.  
**Modulation of frontal-midline theta by neurofeedback**  
Biological psychology, 2013. null  
<http://www.ncbi.nlm.nih.gov/pubmed/23499994>
35. Fazli, S., et al.  
**Using Rest Class and Control Paradigms for Brain Computer Interfacing**  
Bio-Inspired Systems: Computational and Ambient Intelligence Lecture Notes in Computer Science, 2009 5517: p. 651-665  
<http://dl.acm.org/citation.cfm?id=1573003>
36. Fazli, S., et al.  
**Enhanced performance by a hybrid NIRS-EEG brain computer interface**  
NeuroImage, 2012. 59: p. 519-29  
<http://www.ncbi.nlm.nih.gov/pubmed/21840399>
37. Folgheraiter, M., et al.  
**Measuring the Improvement of the Interaction Comfort of a Wearable Exoskeleton**  
International Journal of Social Robotics, 2012. 4: p. 285-302  
<http://link.springer.com/content/pdf/10.1007%2Fs12369-012-0147-x.pdf>

## BCI-related Publications using Brain Products Hard-/Software

38. Furdea, A., et al. **A new (semantic) reflexive brain-computer interface: in search for a suitable classifier** Journal of neuroscience methods, 2012. 203: p. 233-40 <http://www.ncbi.nlm.nih.gov/pubmed/21963400>
39. Gallegos-Ayala, G., et al. (2014). **Brain communication in a completely locked-in patient using bedside near-infrared spectroscopy.** Neurology 82: 1930-1932. <http://www.ncbi.nlm.nih.gov/pubmed/24789862>
40. Genari, C. M., et al. (2013). **Perception of BCI assistive technology by post-ischemic stroke patients.** Biosignals and Biorobotics Conference (BRC), 2013 ISSNIP, IEEE: 1-5. <http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6487532>
41. Gevensleben, H., et al. (2014). **Neurofeedback of slow cortical potentials: neural mechanisms and feasibility of a placebo-controlled design in healthy adults.** Frontiers in human neuroscience 8. <http://www.ncbi.nlm.nih.gov/pubmed/25566020>
42. Gevensleben, H., et al. **Distinct EEG effects related to neurofeedback training in children with ADHD: a randomized controlled trial** International journal of psychophysiology : official journal of the International Organization of Psychophysiology, 2009. 74: p. 149-57 <http://www.ncbi.nlm.nih.gov/pubmed/19712709>
43. Gharabaghi, A., et al. (2014). **Coupling brain-machine interfaces with cortical stimulation for brain-state dependent stimulation: enhancing motor cortex excitability for neurorehabilitation.** Frontiers in human neuroscience 8. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3942791/>
44. Gilroy, S. W., et al. (2013). **A brain-computer interface to a plan-based narrative.** Proceedings of the Twenty-Third international joint conference on Artificial Intelligence, AAAI Press: 1997-2005. <http://ijcai.org/papers13/Papers/IJCAI13-295.pdf>
45. Gomez-Rodriguez, M., et al. **Closing the sensorimotor loop: haptic feedback facilitates decoding of motor imagery** Journal of neural engineering, 2011. 8: p. 036005 <http://www.ncbi.nlm.nih.gov/pubmed/21474878>
46. Grosse-Wentrup, M. and B. Schölkopf **High gamma-power predicts performance in sensorimotor-rhythm brain-computer interfaces** Journal of neural engineering, 2012. 9: p. 046001 <http://iopscience.iop.org/1741-2552/9/4/046001>

## BCI-related Publications using Brain Products Hard-/Software

47. Grosse-Wentrup, M. and B. Schölkopf (2014).  
**A brain–computer interface based on self-regulation of gamma-oscillations in the superior parietal cortex.**  
Journal of neural engineering 11: 56015.  
<http://mlin.kyb.tuebingen.mpg.de/Grosse-WentrupJNE2014.pdf>
48. Grosse-Wentrup, M., B. Schölkopf, and J. Hill  
**Causal influence of gamma oscillations on the sensorimotor rhythm**  
NeuroImage, 2011. 56: p. 837-42  
<http://www.ncbi.nlm.nih.gov/pubmed/20451626>
49. Grozea, C., et al. (2009).  
**Performance of novel dry electrode EEG cap for evoked potential and band-power activity detection.** World Congress on Medical Physics and Biomedical Engineering, September 7-12, 2009, Munich, Germany, Springer: 510-513.  
[http://link.springer.com/chapter/10.1007%2F978-3-642-03889-1\\_135](http://link.springer.com/chapter/10.1007%2F978-3-642-03889-1_135)
50. Grozea, C., C.D. Voinescu, and S. Fazli  
**Bristle-sensors--low-cost flexible passive dry EEG electrodes for neurofeedback and BCI applications**  
Journal of neural engineering, 2011. 8: p. 025008  
<http://www.ncbi.nlm.nih.gov/pubmed/21436526>
51. Hahn, T., et al. (2015).  
**How to trust a perfect stranger: predicting initial trust behavior from resting-state brain-electrical connectivity.**  
Social cognitive and affective neuroscience 10: 809-813.  
<http://www.ncbi.nlm.nih.gov/pubmed/25274577>
52. Halder, S., et al.  
**Neural mechanisms of brain-computer interface control**  
NeuroImage, 2011. 55: p. 1779-90  
<http://www.ncbi.nlm.nih.gov/pubmed/21256234>
53. Halder, S., et al.  
**Prediction of auditory and visual p300 brain-computer interface aptitude**  
PLoS ONE, 2013. 8: p. e53513  
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0053513>
54. Halder, S., et al.  
**An auditory oddball brain-computer interface for binary choices**  
Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology, 2010. 121: p. 516-23  
<http://www.ncbi.nlm.nih.gov/pubmed/20093075>
55. Hammer, E.M., et al.  
**Psychological predictors of SMR-BCI performance**  
Biological psychology, 2012. 89: p. 80-6  
<http://www.ncbi.nlm.nih.gov/pubmed/21964375>

## BCI-related Publications using Brain Products Hard-/Software

56. Hanslmayr, S., et al.  
**Prestimulus oscillations predict visual perception performance between and within subjects**  
NeuroImage, 2007. 37: p. 1465-73  
<http://www.ncbi.nlm.nih.gov/pubmed/17706433>
57. Haufe, S., et al. (2014).  
**Electrophysiology-based detection of emergency braking intention in real-world driving.**  
Journal of neural engineering 11: 056011.  
<http://iopscience.iop.org/1741-2552/11/5/056011/article>
58. Heger, D., et al.  
**Filling a glass of water: continuously decoding the speed of 3D hand movements from EEG signals**  
Conference proceedings : ... Annual International Conference of the IEEE Engineering in Medicine and Biology Society. IEEE Engineering in Medicine and Biology Society. Conference, 2012. 2012: p. 4095-8  
<http://www.ncbi.nlm.nih.gov/pubmed/23366828>
59. Heinrich, H., et al. (2014).  
**EEG spectral analysis of attention in ADHD: implications for neurofeedback training?**  
Frontiers in human neuroscience 8: 611.  
<http://www.ncbi.nlm.nih.gov/pubmed/25191248>
60. Hill, N.J. and B. Schölkopf  
**An online brain-computer interface based on shifting attention to concurrent streams of auditory stimuli**  
Journal of neural engineering, 2012. 9: p. 026011  
<http://www.ncbi.nlm.nih.gov/pubmed/22333135>
61. Hinterberger, T., et al.  
**Brain-computer communication and slow cortical potentials**  
IEEE transactions on bio-medical engineering, 2004. 51: p. 1011-8  
<http://www.ncbi.nlm.nih.gov/pubmed/15188872>
62. Höhne, J. and M. Tangermann (2014).  
**Towards user-friendly spelling with an auditory brain-computer interface: the CharStreamer paradigm.**  
PloS one 9: e98322.  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4041754/>
63. Höhne, J., et al.  
**Natural stimuli improve auditory BCIs with respect to ergonomics and performance**  
Journal of neural engineering, 2012. 9: p. 045003  
<http://www.ncbi.nlm.nih.gov/pubmed/22831919>
64. Höhne, J., et al.  
**A novel 9-class auditory ERP paradigm driving a predictive text entry system**  
Frontiers in Neuroscience, 2011. 5  
<http://www.ncbi.nlm.nih.gov/pubmed/21909321>
65. Huang, G., et al.  
**Model based generalization analysis of common spatial pattern in brain computer interfaces**  
Cognitive neurodynamics, 2010. 4: p. 217-23  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2918755/>

## BCI-related Publications using Brain Products Hard-/Software

66. Höller, Y., et al. (2013).  
**Real movement vs. motor imagery in healthy subjects.**  
International Journal of Psychophysiology 87: 35-41.  
<http://www.ncbi.nlm.nih.gov/pubmed/23123181>
67. Huster, R. J., et al. (2014).  
**Brain-computer interfaces for EEG neurofeedback: Peculiarities and solutions.**  
International Journal of Psychophysiology 91: 36-45.  
<http://www.pubfacts.com/detail/24012908>
68. Ibanez, J., et al. (2014).  
**Upper-limb muscular electrical stimulation driven by EEG-based detections of the intentions to move: A proposed intervention for patients with stroke.**  
Engineering in Medicine and Biology Society (EMBC), 2014 36th Annual International Conference of the IEEE, IEEE: 1646-1649.  
<http://www.ncbi.nlm.nih.gov/pubmed/25570289>
69. Ihme, K. and T. Zander  
**What You Expect Is What You Get? Potential Use of Contingent Negative Variation for Passive BCI Systems in Gaze-Based HCI**  
in Affective Computing and Intelligent Interaction SE - 57, S. D'Mello, et al.  
Editors. 2011, Springer Berlin Heidelberg. p. 447-456  
[http://link.springer.com/content/pdf/10.1007%2F978-3-642-24571-8\\_57.pdf](http://link.springer.com/content/pdf/10.1007%2F978-3-642-24571-8_57.pdf)
70. İşcan, Z. and Z. Dokur (2015).  
**Classification of steady state visual evoked potentials by Multi-Class T-Weight Method.**  
Pattern Recognition and Image Analysis 25: 321-326.  
<http://link.springer.com/article/10.1134%2FS1054661815020121>
71. İşcan, Z. and Z. Dokur (2014).  
**A novel steady-state visually evoked potential-based brain-computer interface design: character plotter.**  
Biomedical Signal Processing and Control 10: 145-152.  
<http://www.sciencedirect.com/science/article/pii/S1746809413001742>
72. Itai, A. and A. Funase (2013).  
**Spectrum Intensity Ratio and Thresholding Based SSVEP Detection.**  
Neural Information Processing, Springer: 433-440.  
[http://embc.embs.org/files/2013/3252\\_FI.pdf](http://embc.embs.org/files/2013/3252_FI.pdf)
73. Jiang, J., et al. (2013).  
**Brain-actuated humanoid robot control using one class motor imagery task.**  
Chinese Automation Congress (CAC), 2013, IEEE: 587-590.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6775803>
74. Jiang, J., et al. (2013).  
**A Novel Multi-class Brain-Computer Interface (BCI) Paradigm Based on Motor Imagery Sequential Coding (MISC) Protocol.**  
Intelligence Science and Big Data Engineering, Springer: 295-302.  
[http://link.springer.com/chapter/10.1007/978-3-642-42057-3\\_38](http://link.springer.com/chapter/10.1007/978-3-642-42057-3_38)

## BCI-related Publications using Brain Products Hard-/Software

75. Jiang, J., et al. (2014).  
**Hybrid Brain-Computer Interface (BCI) based on the EEG and EOG signals.**  
Bio-medical materials and engineering 24.  
<http://www.ncbi.nlm.nih.gov/pubmed/25226998>
76. Kasahara, K., et al. (2015).  
**Neuroanatomical correlates of brain-computer interface performance.**  
NeuroImage 110: 95-100.  
<http://www.ncbi.nlm.nih.gov/pubmed/25659465>
77. Käthner, I., et al.  
**A portable auditory P300 brain-computer interface with directional cues**  
Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology, 2013.  
124: p. 327-38  
<http://www.ncbi.nlm.nih.gov/pubmed/22959257>
78. Kim, B. J., et al. (2015).  
**Intention analysis based on brain signal for participation induction during rehabilitation.**  
Brain-Computer Interface (BCI), 2015 3rd International Winter Conference on, IEEE: 1-2.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=7073040>
79. Kim, H.-C. and J.-H. Lee (2015).  
**Desynchronization of the mu oscillatory activity during motor imagery: A preliminary EEG-fMRI study.**  
Brain-Computer Interface (BCI), 2015 3rd International Winter Conference on, IEEE: 1-2.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=7073036>
80. Kim, J.-H., et al. (2014).  
**Reconstruction of hand movements from EEG signals based on non-linear regression.**  
Brain-Computer Interface (BCI), 2014 International Winter Workshop on, IEEE: 1-3.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=6782572>
81. Kim, J. J., et al. (2013).  
**The effect of stimulus type and distance on neural control of a smart TV.**  
Neural Engineering (NER), 2013 6th International IEEE/EMBS Conference on, IEEE: 1343-1345.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6696190>
82. Kim, J.-W., et al. (2014).  
**Brain-computer interface for smart vehicle: Detection of braking intention during simulated driving.**  
Brain-Computer Interface (BCI), 2014 International Winter Workshop on, IEEE: 1-3.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6782549>
83. Kim, K.-T. and S.-W. Lee (2014).  
**Steady-state somatosensory evoked potentials for brain-controlled wheelchair.**  
Brain-Computer Interface (BCI), 2014 International Winter Workshop on, IEEE: 1-2.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6782570>
84. Kim, M., et al. (2013).  
**Toward realistic implementation of Brain-Computer Interface for TV channel control.**  
Consumer Electronics (GCCE), 2013 IEEE 2nd Global Conference on, IEEE: 394-396.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6664868>

## BCI-related Publications using Brain Products Hard-/Software

85. Kindermans, P.-J., et al. (2014).  
**True zero-training brain-computer interfacing--an online study.**  
PloS one 9: e102504.  
<http://www.ncbi.nlm.nih.gov/pubmed/25068464>
86. Kinreich, S., et al. (2014).  
**Neural dynamics necessary and sufficient for transition into pre-sleep induced by EEG NeuroFeedback.**  
NeuroImage 97: 19-28.  
<http://www.ncbi.nlm.nih.gov/pubmed/24768931>
87. Kirchner, E. A., et al. (2013).  
**On the applicability of brain reading for predictive human-machine interfaces in robotics.**  
PloS one 8: e81732.  
<http://www.ncbi.nlm.nih.gov/pubmed/24358125>
88. Kleih, S. C. and A. Kübler (2013).  
**Empathy, motivation, and P300 BCI performance.**  
Frontiers in human neuroscience 7: 642.  
<http://www.ncbi.nlm.nih.gov/pubmed/24146640>
89. Kober, S. E., et al. (2013).  
**Learning to modulate one's own brain activity: the effect of spontaneous mental strategies.**  
Frontiers in human neuroscience 7.  
<http://www.ncbi.nlm.nih.gov/pubmed/24151462>
90. Kwak, N.-S., et al. (2014).  
**Toward exoskeleton control based on steady state visual evoked potentials.**  
Brain-Computer Interface (BCI), 2014 International Winter Workshop on, IEEE: 1-2.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6782571>
91. Lechinger, J., et al.  
**Mirroring of a simple motor behavior in disorders of consciousness**  
Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology, 2013. 124: p. 27-34  
<http://www.ncbi.nlm.nih.gov/pubmed/22721652>
92. Lee, M.-H., et al. (2014).  
**Hybrid brain-computer interface based on EEG and NIRS modalities.**  
Brain-Computer Interface (BCI), 2014 International Winter Workshop on, IEEE: 1-2.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6782577>
93. Lee, M.-H., et al. (2015).  
**Subject-dependent classification for robust idle state detection using multi-modal neuroimaging and data-fusion techniques in BCI.**  
Pattern Recognition 48: 2725-2737.  
<http://www.sciencedirect.com/science/article/pii/S0031320315000990>
94. Lesenfants, D., et al. (2014).  
**An independent SSVEP-based brain-computer interface in locked-in syndrome.**  
Journal of neural engineering 11: 35002.  
<http://www.ncbi.nlm.nih.gov/pubmed/24838215>

## BCI-related Publications using Brain Products Hard-/Software

95. Liechti, M.D., et al.  
**First clinical trial of tomographic neurofeedback in attention-deficit/hyperactivity disorder: evaluation of voluntary cortical control**  
Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology, 2012. 123: p. 1989-2005  
<http://www.ncbi.nlm.nih.gov/pubmed/22608481>
96. Liu, Y., Z. Zhou, and D. Hu  
**Gaze independent brain-computer speller with covert visual search tasks**  
Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology, 2011. 122: p. 1127-36  
<http://www.ncbi.nlm.nih.gov/pubmed/21163695>
97. Logar, V. and A. Belič  
**Brain-computer interface analysis of a dynamic visuo-motor task**  
Artificial intelligence in medicine, 2011. 51: p. 43-51  
<http://www.ncbi.nlm.nih.gov/pubmed/21112747>
98. Lorenz, R., et al. (2014).  
**Towards a holistic assessment of the user experience with hybrid BCIs.**  
Journal of neural engineering 11: 35007.  
<http://www.ncbi.nlm.nih.gov/pubmed/24835132>
99. Maby, E., et al.  
**BCI Could Make Old Two-Player Games Even More Fun: A Proof of Concept with “Connect Four”**  
Advances in Human-Computer Interaction, 2012: p. Volume 2012 (2012), Article ID 124728, 8 pages  
<http://www.hindawi.com/journals/ahci/2012/124728/>
100. Manyakov, N. V., et al. (2013).  
**Multilayer Feedforward Neural Network with Multi-Valued Neurons for Brain-Computer Interfacing.**  
The IEEE Press Series on Computational Intelligence.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6515291>
101. Manyakov, N. V., et al. (2013).  
**Sampled sinusoidal stimulation profile and multichannel fuzzy logic classification for monitor-based phase-coded SSVEP brain–computer interfacing.**  
Journal of neural engineering 10: 36011.  
<http://www.ncbi.nlm.nih.gov/pubmed/23594762>
102. Martens, S.M.M.M., et al.  
**A graphical model framework for decoding in the visual ERP-based BCI speller**  
Neural computation, 2011. 23: p. 160-82  
<http://www.ncbi.nlm.nih.gov/pubmed/20964540>
103. Maurizio, S., et al. (2013).  
**Differential EMG biofeedback for children with ADHD: a control method for neurofeedback training with a case illustration.**  
Applied psychophysiology and biofeedback 38: 109-119.  
<http://www.ncbi.nlm.nih.gov/pubmed/23564206>

## BCI-related Publications using Brain Products Hard-/Software

104. Mayeli, A., et al. (2015).  
**An automatic ICA-based method for removing artifacts from EEG data acquired during fMRI in real time.**  
Biomedical Engineering Conference (NEBEC), 2015 41st Annual Northeast, IEEE: 1-2.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=7117056>
105. Menendez, R.G.d.P., et al.  
**Modern electrophysiological methods for brain-computer interfaces**  
Computational intelligence and neuroscience, 2007: p. 56986  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2233873/>
106. Meyer, T., et al. (2013).  
**Investigating the Neural Basis of Brain-Computer Interface (BCI)-based Stroke Rehabilitation.**  
Converging Clinical and Engineering Research on Neurorehabilitation, Springer: 617-621.  
[http://link.springer.com/chapter/10.1007%2F978-3-642-34546-3\\_100](http://link.springer.com/chapter/10.1007%2F978-3-642-34546-3_100)
107. Meyer, T., et al. (2014).  
**Predicting motor learning performance from Electroencephalographic data.**  
Journal of neuroengineering and rehabilitation 11.  
<http://www.jneuroengrehab.com/content/11/1/24>
108. Mori, H., et al. (2014).  
**Tactile and bone-conduction auditory brain computer interface for vision and hearing impaired users—Stimulus pattern and BCI accuracy improvement.**  
Asia-Pacific Signal and Information Processing Association, 2014 Annual Summit and Conference (APSIPA), IEEE: 1-7.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=7041759>
109. Murgialday, A.R., et al.  
**Transition from the locked in to the completely locked-in state: a physiological analysis**  
Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology, 2011.  
122: p. 925-33  
<http://www.ncbi.nlm.nih.gov/pubmed/20888292>
110. Murphy, B., et al.  
**EEG decoding of semantic category reveals distributed representations for single concepts**  
Brain and language, 2011. 117: p. 12-22  
<http://www.ncbi.nlm.nih.gov/pubmed/21300399>
111. Niazi, I.K., et al.  
**Detection of movement-related cortical potentials based on subject-independent training**  
Medical & biological engineering & computing, 2013  
<http://www.ncbi.nlm.nih.gov/pubmed/23283643>
112. Nikulin, V.V., et al.  
**Quasi-movements: a novel motor-cognitive phenomenon**  
Neuropsychologia, 2008. 46: p. 727-42  
<http://www.ncbi.nlm.nih.gov/pubmed/18035381>

## BCI-related Publications using Brain Products Hard-/Software

113. Onose, G., et al.  
***On the feasibility of using motor imagery EEG-based brain-computer interface in chronic tetraplegics for assistive robotic arm control: a clinical test and long-term post-trial follow-up***  
Spinal cord, 2012. 50: p. 599-608  
<http://www.ncbi.nlm.nih.gov/pubmed/22410845>
114. Park, C., et al. (2013).  
***Classification of motor imagery BCI using multivariate empirical mode decomposition.***  
Neural Systems and Rehabilitation Engineering, IEEE Transactions on 21: 10-22.  
<http://www.ncbi.nlm.nih.gov/pubmed/23204288>
115. Park, H.-J., et al. (2015).  
***Towards a smart TV control system based on steady-state visual evoked potential.***  
Brain-Computer Interface (BCI), 2015 3rd International Winter Conference on, IEEE: 1-2.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=7073039>
116. Peeters, F., et al. (2014).  
***Neurofeedback as a treatment for major depressive disorder—a pilot study.***  
PloS one 9: e91837.  
<http://www.ncbi.nlm.nih.gov/pubmed/24642756>
117. Peeters, F., et al. (2014).  
***Validation of a neurofeedback paradigm: manipulating frontal EEG alpha-activity and its impact on mood.***  
International Journal of Psychophysiology 93: 116-120.  
<http://www.ncbi.nlm.nih.gov/pubmed/23773999>
118. Pichiorri, F., et al. (2015).  
***Brain-computer interface boosts motor imagery practice during stroke recovery.***  
Annals of neurology 77: 851-865.  
<http://www.ncbi.nlm.nih.gov/pubmed/25712802>
119. Pichiorri, F., et al.  
***Sensorimotor rhythm-based brain-computer interface training: the impact on motor cortical responsiveness***  
Journal of neural engineering, 2011. 8: p. 025020  
<http://www.ncbi.nlm.nih.gov/pubmed/21436514>
120. Podlipsky, I., et al.  
***Robust modeling based on optimized EEG bands for functional brain state inference***  
Journal of neuroscience methods, 2012. 203: p. 377-85  
<http://www.ncbi.nlm.nih.gov/pubmed/22044846>
121. Popescu, F., et al.  
***Single Trial Classification of Motor Imagination Using 6 Dry EEG Electrodes***  
PLoS ONE, 2007. 2: p. e637  
<http://www.plosone.org/article/info:doi/10.1371/journal.pone.0000637>

## BCI-related Publications using Brain Products Hard-/Software

122. Protzak, J., et al. (2013).  
**A passive brain-computer interface for supporting gaze-based human-machine interaction.**  
Universal Access in Human-Computer Interaction. Design Methods, Tools, and Interaction Techniques for elnclusion, Springer: 662-671.  
[http://link.springer.com/chapter/10.1007%2F978-3-642-39188-0\\_71](http://link.springer.com/chapter/10.1007%2F978-3-642-39188-0_71)
123. Rakshit, P., et al. (2013).  
**Artificial bee colony based feature selection for motor imagery EEG data.**  
Proceedings of Seventh International Conference on Bio-Inspired Computing: Theories and Applications (BIC-TA 2012), Springer: 127-138.  
[http://link.springer.com/chapter/10.1007%2F978-81-322-1041-2\\_11](http://link.springer.com/chapter/10.1007%2F978-81-322-1041-2_11)
124. Ramos-Murguialday, A. and N. Birbaumer (2015).  
**Brain oscillatory signatures of motor tasks.**  
Journal of neurophysiology 113: 3663-3682.  
<http://www.ncbi.nlm.nih.gov/pubmed/25810484>
125. Ramos-Murguialday, A., et al.  
**Proprioceptive Feedback and Brain Computer Interface (BCI) Based Neuroprostheses**  
PLoS ONE, 2012. 7: p. e47048  
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0047048>
126. Rao, R. P. N., et al. (2014).  
**A direct brain-to-brain interface in humans.**  
PloS one 9: e111332.  
<http://www.ncbi.nlm.nih.gov/pubmed/25372285>
127. Rea, M., et al. (2014).  
**Lower limb movement preparation in chronic stroke a pilot study toward an fNIRS-BCI for gait rehabilitation.**  
Neurorehabilitation and neural repair 28: 564-575.  
<http://www.ncbi.nlm.nih.gov/pubmed/24482298>
128. Risetti, M., et al. (2013).  
**On ERPs detection in disorders of consciousness rehabilitation.**  
Frontiers in human neuroscience 7.  
<http://www.ncbi.nlm.nih.gov/pubmed/24312041>
129. Rivet, B. and A. Souloumiac  
**Optimal linear spatial filters for event-related potentials based on a spatio-temporal model:  
Asymptotical performance analysis**  
Signal Processing, 2013. 93: p. 387-398  
<http://dl.acm.org/citation.cfm?id=2388343>
130. Roy, R. N., et al. (2013).  
**Mental fatigue and working memory load estimation: Interaction and implications for eeg-based passive bci.**  
Engineering in Medicine and Biology Society (EMBC), 2013 35th Annual International Conference of the IEEE, IEEE: 6607-6610.  
<http://www.ncbi.nlm.nih.gov/pubmed/24111257>

## BCI-related Publications using Brain Products Hard-/Software

131. Roy, R. N., et al. (2014).  
**Detection of mental fatigue using an active BCI inspired signal processing chain.**  
19th IFAC World Congress (IFAC WC 2014): n-c.  
<http://www.nt.ntnu.no/users/skoge/prost/proceedings/ifac2014/media/files/0897.pdf>
132. Ruf, C.A., et al.  
**Semantic classical conditioning and brain-computer interface control: encoding of affirmative and negative thinking**  
Frontiers in Neuroscience, 2013. 7: p. 23  
<http://www.ncbi.nlm.nih.gov/pubmed/23471568>
133. Salari, N., et al. (2014).  
**Neurofeedback training of gamma band oscillations improves perceptual processing.**  
Experimental brain research 232: 3353-3361.  
<http://www.ncbi.nlm.nih.gov/pubmed/24992898>
134. Salari, N. and M. Rose (2013).  
**A Brain-Computer-Interface for the Detection and Modulation of Gamma Band Activity.**  
Brain sciences 3: 1569-1587.  
<http://www.mdpi.com/2076-3425/3/4/1569>
135. Schaeff, S., et al.  
**Exploring motion VEPs for gaze-independent communication**  
Journal of neural engineering, 2012. 9: p. 045006  
<http://www.ncbi.nlm.nih.gov/pubmed/22832017>
136. Schlattner, I., et al. (2015).  
**EEG-based neural decoding of Intelligence Questions.**  
Brain-Computer Interface (BCI), 2015 3rd International Winter Conference on, IEEE: 1-4.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=7073025>
137. Schmidt, N.M., B. Blankertz, and M.S. Treder  
**Online detection of error-related potentials boosts the performance of mental typewriters**  
BMC neuroscience, 2012. 13: p. 19  
<http://www.ncbi.nlm.nih.gov/pubmed/22336293>
138. Schreuder, M., et al. (2013).  
**User-centered design in brain-computer interfaces—A case study.**  
Artificial intelligence in medicine 59: 71-80.  
<http://www.ncbi.nlm.nih.gov/pubmed/24076341>
139. Schreuder, M., B. Blankertz, and M. Tangermann  
**A New Auditory Multi-Class Brain-Computer Interface Paradigm: Spatial Hearing as an Informative Cue**  
PLoS ONE, 2010. 5: p. e9813  
<http://www.plosone.org/article/info:doi/10.1371/journal.pone.0009813>
140. Schreuder, M., T. Rost, and M. Tangermann  
**Listen, You are Writing! Speeding up Online Spelling with a Dynamic Auditory BCI**  
Frontiers in Neuroscience, 2011. 5: p. 112  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3192990/>

## BCI-related Publications using Brain Products Hard-/Software

141. Shetty, K., et al. (2013).  
**Automated Cognitive Load Detection with Electroencephalography: Towards Brain-Computer Interfacing in Robotic Surgery.**  
The Hamlyn Symposium on Medical Robotics: 65.  
<http://www.researchgate.net/publication/263774539>
142. Shin, Y., et al. (2013).  
**Performance increase by using a EEG sparse representation based classification method.**  
Consumer Electronics (ICCE), 2013 IEEE International Conference on, IEEE: 201-203.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6486858>
143. Simon, N., et al. (2014).  
**An auditory multiclass brain-computer interface with natural stimuli: Usability evaluation with healthy participants and a motor impaired end user.**  
Frontiers in human neuroscience 8.  
<http://www.ncbi.nlm.nih.gov/pubmed/25620924>
144. Soekadar, S. R., et al. (2013).  
**Fragmentation of slow wave sleep after onset of complete locked-in state.**  
Journal of clinical sleep medicine: JCSM: official publication of the American Academy of Sleep Medicine 9: 951.  
<http://www.ncbi.nlm.nih.gov/pubmed/23997708>
145. Soekadar, S. R., et al. (2014).  
**Learned EEG-based brain self-regulation of motor-related oscillations during application of transcranial electric brain stimulation: feasibility and limitations.**  
Frontiers in behavioral neuroscience 8.  
<http://www.ncbi.nlm.nih.gov/pubmed/24672456>
146. Soriano, D., et al. (2013).  
**Music versus motor imagery for BCI systems a study using fMRI and EEG: Preliminary results.**  
Biosignals and Biorobotics Conference (BRC), 2013 ISSNIP, IEEE: 1-6.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=6487494>
147. Spüler, M., et al. (2014).  
**Decoding of motor intentions from epidural ECoG recordings in severely paralyzed chronic stroke patients.**  
Journal of neural engineering 11: 66008.  
<http://www.ncbi.nlm.nih.gov/pubmed/25358531>
148. Steyrl, D., et al. (2013).  
**Single Trial Motor Imagery Classification in EEG Measured During FMRI Image Acquisition-A First Glance.**  
Biomedical Engineering/Biomedizinische Technik.  
<http://www.ncbi.nlm.nih.gov/pubmed/24043195>
149. Studer, P., et al. (2014).  
**Slow cortical potential and theta/beta neurofeedback training in adults: effects on attentional processes and motor system excitability.**  
Frontiers in human neuroscience 8.  
<http://www.ncbi.nlm.nih.gov/pubmed/25104932>

## BCI-related Publications using Brain Products Hard-/Software

150. Suk, H.-I., et al. (2014).  
**Predicting BCI subject performance using probabilistic spatio-temporal filters.**  
PloS one 9.  
<http://www.ncbi.nlm.nih.gov/pubmed/24551050>
151. Tangermann, M., et al.  
**Review of the BCI Competition IV**  
Frontiers in Neuroscience, 2012. 6: p. 55  
<http://www.ncbi.nlm.nih.gov/pubmed/22811657>
152. Thurlings, M.E., et al.  
**Control-display mapping in brain-computer interfaces**  
Ergonomics, 2012. 55: p. 564-80  
<http://www.ncbi.nlm.nih.gov/pubmed/22506977>
153. Tomita, Y., et al. (2014).  
**Bimodal BCI using simultaneously NIRS and EEG.**  
Biomedical Engineering, IEEE Transactions on 61: 1274-1284.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=6714514>
154. Toppi, J., et al. (2014).  
**Investigating the effects of a sensorimotor rhythm-based BCI training on the cortical activity elicited by mental imagery.**  
Journal of neural engineering 11: 35010.  
<http://www.ncbi.nlm.nih.gov/pubmed/24835634>
155. Treder, M. S., et al. (2010).  
**Gaze-independent visual brain-computer interfaces.**  
Proc. of the TOBI (tools for brain–computer interaction) Workshop II: 33-34.  
<http://www.ncbi.nlm.nih.gov/pubmed/22831893>
156. Treder, M.S., et al.  
**Brain-computer interfacing using modulations of alpha activity induced by covert shifts of attention**  
Journal of neuroengineering and rehabilitation, 2011. 8: p. 24  
<http://www.ncbi.nlm.nih.gov/pubmed/21672270>
157. Treder, M.S. and B. Blankertz  
**(C)overt attention and visual speller design in an ERP-based brain-computer interface**  
Behavioral and brain functions : BBF, 2010. 6: p. 28  
<http://www.ncbi.nlm.nih.gov/pubmed/20509913>
158. von Carlowitz-Ghori, K., et al. (2015).  
**Voluntary control of corticomuscular coherence through neurofeedback: A proof-of-principle study in healthy subjects.**  
Neuroscience 290: 243-254.  
<http://www.ncbi.nlm.nih.gov/pubmed/25596321>

## BCI-related Publications using Brain Products Hard-/Software

159. Vukelić, M., et al. (2014).  
**Lateralized alpha-band cortical networks regulate volitional modulation of beta-band sensorimotor oscillations.**  
NeuroImage 87: 147-153.  
<http://www.ncbi.nlm.nih.gov/pubmed/24121086>
160. Vukelić, M. and A. Gharabaghi (2015).  
**Oscillatory entrainment of the motor cortical network during motor imagery is modulated by the feedback modality.**  
NeuroImage 111: 1-11.  
<http://www.ncbi.nlm.nih.gov/pubmed/25665968>
161. Vidaurre, C., et al.  
**Co-adaptive calibration to improve BCI efficiency**  
Journal of neural engineering, 2011. 8: p. 025009  
<http://www.ncbi.nlm.nih.gov/pubmed/21436515>
162. Walter, A., et al.  
**Coupling BCI and cortical stimulation for brain-state-dependent stimulation: methods for spectral estimation in the presence of stimulation after-effects**  
Frontiers in neural circuits, 2012. 6: p. 87  
<http://www.ncbi.nlm.nih.gov/pubmed/23162436>
163. Wangler, S., et al.  
**Neurofeedback in children with ADHD: specific event-related potential findings of a randomized controlled trial**  
Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology, 2011. 122: p. 942-50  
<http://www.ncbi.nlm.nih.gov/pubmed/20843737>
164. Weiland, M. Z., et al. (2013).  
**Real Time Research Methods Monitoring Air Traffic Controller Workload During Simulation Studies Using Electroencephalography (EEG).**  
Proceedings of the Human Factors and Ergonomics Society Annual Meeting, SAGE Publications. 57: 1615-1619.  
<http://pro.sagepub.com/content/57/1/1615.abstract>
165. Witkowski, M., et al. (2014).  
**Enhancing brain-machine interface (BMI) control of a hand exoskeleton using electrooculography (EOG).**  
Journal of neuroengineering and rehabilitation 11: 165.  
<http://www.jneuroengrehab.com/content/11/1/165>
166. Won, D.-O. and S.-W. Lee (2014).  
**Frequency-wise optimal duty-cycle selection in steady state visual evoked potentials: A pilot study.**  
Brain-Computer Interface (BCI), 2014 International Winter Workshop on, IEEE: 1-2.  
<http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=6782568>
167. Won, D.-O., et al. (2014).  
**A BCI speller based on SSVEP using high frequency stimuli design.**  
Systems, Man and Cybernetics (SMC), 2014 IEEE International Conference on, IEEE: 1068-1071.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?tp=&arnumber=6974055>

## BCI-related Publications using Brain Products Hard-/Software

168. Woo, J.-S., et al. (2015).  
**Classifying directions in continuous arm movement from EEG signals.**  
Brain-Computer Interface (BCI), 2015 3rd International Winter Conference on, IEEE: 1-2.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=7073054>
169. Wu, W., et al.  
**A hierarchical Bayesian approach for learning sparse spatio-temporal decompositions of multichannel EEG**  
NeuroImage, 2011. 56: p. 1929-45  
<http://www.ncbi.nlm.nih.gov/pubmed/21420499>
170. Xie, P., et al. (2013).  
**Identification Method of Human Movement Intention based on the Fusion Feature of EEG and EMG.**  
Proceedings of the World Congress on Engineering. 2.  
[http://www.iaeng.org/publication/WCE2013/WCE2013\\_pp1340-1344.pdf](http://www.iaeng.org/publication/WCE2013/WCE2013_pp1340-1344.pdf)
171. Xu, P., et al. (2014).  
**Using particle swarm to select frequency band and time interval for feature extraction of EEG based BCI.**  
Biomedical Signal Processing and Control 10: 289-295.  
<http://www.sciencedirect.com/science/article/pii/S1746809413001250>
172. Yeh, W.-L., et al. (2013).  
**A self produced mother wavelet feature extraction method for motor imagery brain-computer interface.**  
Engineering in Medicine and Biology Society (EMBC), 2013 35th Annual International Conference of the IEEE, IEEE: 4302-4305.  
<http://www.ncbi.nlm.nih.gov/pubmed/24110684>
173. Yeom, S.-K., et al. (2014).  
**P300 visual speller based on random set presentation.**  
Brain-Computer Interface (BCI), 2014 International Winter Workshop on, IEEE: 1-2.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=6782567>
174. Yeom, S.-K., et al. (2014).  
**An efficient ERP-based brain-computer interface using random set presentation and face familiarity.**  
PloS one 9: e111157.  
<http://www.ncbi.nlm.nih.gov/pubmed/25384045>
175. Yeom, S.-K., et al. (2014).  
**Towards an enhanced ERP speller based on the visual processing of face familiarity.**  
Engineering in Medicine and Biology Society (EMBC), 2014 36th Annual International Conference of the IEEE, IEEE: 1330-1333.  
<http://www.ncbi.nlm.nih.gov/pubmed/25570213>
176. Yin, E., et al. (2013).  
**A Subarea-Location Joint Spelling Paradigm for the BCI Control.**  
Intelligence Science and Big Data Engineering, Springer: 368-375.  
[http://link.springer.com/chapter/10.1007%2F978-3-642-42057-3\\_47](http://link.springer.com/chapter/10.1007%2F978-3-642-42057-3_47)

## BCI-related Publications using Brain Products Hard-/Software

177. Yin, E., et al. (2015).  
**A Hybrid Brain-Computer Interface Based on the Fusion of P300 and SSVEP Scores.**  
Neural Systems and Rehabilitation Engineering, IEEE Transactions on. PP: 1.  
<http://www.ncbi.nlm.nih.gov/pubmed/25706721>
178. Yin, E., et al. (2014).  
**A speedy hybrid BCI spelling approach combining P300 and SSVEP.**  
Biomedical Engineering, IEEE Transactions on 61: 473-483.  
<http://www.ncbi.nlm.nih.gov/pubmed/24058009>
179. Yin, E., et al.  
**A novel hybrid BCI speller based on the incorporation of SSVEP into the P300 paradigm**  
Journal of neural engineering, 2013. 10: p. 026012  
<http://www.ncbi.nlm.nih.gov/pubmed/23429035>
180. Yoshimura, N., et al.  
**Reconstruction of flexor and extensor muscle activities from electroencephalography cortical currents**  
NeuroImage, 2012. 59: p. 1324-37  
<http://www.ncbi.nlm.nih.gov/pubmed/21945691>
181. Yuan, H., et al.  
**Cortical imaging of event-related (de)synchronization during online control of brain-computer interface using minimum-norm estimates in frequency domain**  
IEEE transactions on neural systems and rehabilitation engineering : a publication of the IEEE Engineering in Medicine and Biology Society, 2008. 16: p. 425-31  
<http://www.ncbi.nlm.nih.gov/pubmed/18990646>
182. Zaehle, T., S. Rach, and C.S. Herrmann  
**Transcranial Alternating Current Stimulation Enhances Individual Alpha Activity in Human EEG**  
PLoS ONE, 2010. 5: p. e13766  
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0013766>
183. Zander, T.O., et al.  
**Combining Eye Gaze Input With a Brain–Computer Interface for Touchless Human–Computer Interaction**  
International Journal of Human-Computer Interaction, 2010. 27: p. 38-51  
<http://www.tandfonline.com/doi/abs/10.1080/10447318.2011.535752#UYVam8prTbw>
184. Zander, T.O., et al.  
**A Dry EEG-System for Scientific Research and Brain-Computer Interfaces**  
Frontiers in Neuroscience, 2011. 5: p. 53  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3103872/>
185. Zhang, N., et al. (2014).  
**A Novel Steady-State Visually Evoked Potential-Based Brain-Computer-Interface Paradigm to Steer a Humanoid Robot.**  
Instrumentation and Measurement, Computer, Communication and Control (IMCCC), 2014 Fourth International Conference on, IEEE: 774-778.  
<http://ieeexplore.ieee.org/xpl/articleDetails.jsp?tp=&arnumber=6995134>

## BCI-related Publications using Brain Products Hard-/Software

186. Zhang, Y., et al. (2013).  
**Prediction of SSVEP-based BCI performance by the resting-state EEG network.**  
Journal of neural engineering 10: 66017.  
<http://www.ncbi.nlm.nih.gov/pubmed/24280591>
187. Zich, C., et al. (2015).  
**Wireless EEG with individualized channel layout enables efficient motor imagery training.**  
Clinical Neurophysiology 126: 698-710.  
<http://www.ncbi.nlm.nih.gov/pubmed/25091344>
188. Zich, C., et al. (2014).  
**Real-time artifact correction enables EEG based feedback inside the fMRI scanner.**  
Proc 6th int brain-comput interface conf 2014: 25.  
<http://www.researchgate.net/publication/268815614>
189. Zich, C., et al. (2015).  
**Real-time EEG feedback during simultaneous EEG-fMRI identifies the cortical signature of motor imagery.**  
NeuroImage 114: 438-447.  
<http://www.ncbi.nlm.nih.gov/pubmed/25887263>
190. Zoefel, B., R.J. Huster, and C.S. Herrmann  
**Neurofeedback training of the upper alpha frequency band in EEG improves cognitive performance**  
NeuroImage, 2011. 54: p. 1427-31  
<http://www.ncbi.nlm.nih.gov/pubmed/20850552>
191. Zotev, V., et al. (2014).  
**Self-regulation of human brain activity using simultaneous real-time fMRI and EEG neurofeedback.**  
NeuroImage 85: 985-995.  
<http://arxiv.org/abs/1301.4689>